BS EN ISO 9001:2008 Cert No. 7878
Shower and bathroom equipment

Orders & quotes
01905 823299
orders@akw-ltd.co.uk

General enquiries
01905 823298
sales@akw-ltd.co.uk

Technical enquiries
01905 560219
technicalenquiries@akw-ltd.co.uk

Kitchen enquiries
01905 823262
kitchens@akw-ltd.co.uk

Fax
01905 823297

AKW
Pointon Way
Hampton Lovett
Droitwich Spa
WR9 0LR

Website
www.akw-ltd.co.uk

AKW Accessible Kitchens

Kitchens that make life easier

AKW life. style. choice. lifestyle solutions for inclusive living

Find us online in the following places:

Layout and content ©2014 AKW Medi-Care Limited. Artwork by Beard Creative Ltd. Printed in England.
AKW01709 July 2014. AKW Liberty® is a registered trademark of AKW Medi-Care Limited.

AKW life. style. choice. lifestyle solutions for inclusive living

Innovative solutions that make the difference

At AKW we are passionate about improving people's lives and supporting independent living by providing high quality showering, daily living and kitchen solutions. With over 25 years' experience in inclusive design, our name is synonymous with innovative design, easy installation, high quality and safety.

Our solutions are specified by the majority of local authorities and housing associations and our reputation for excellence is growing in the retirement and care home sector. Our national sales team are highly experienced and their expertise is valued by all our customers.

Expert surveying teams

A workable, usable, accessible space in a home can have a huge impact on someone's life. That's why surveying for an adapted bathroom or kitchen requires substantial time, experience and skill. Why not let us take care of all that for you? Our specialist bathroom and kitchen survey teams are on hand to bring a wealth of knowledge and experience to every job. The end result is a bespoke space tailored to specifically meet the client's clinical and lifestyle requirements.

Technical support

Our dedicated team of technical advisors are available to provide expert knowledge and advice whatever the situation might be. With many of our technical advisors having been tradesmen themselves, they are able to give quick and effective advice. You just need to pick up the phone and call **01905 560219**.

Environmental credentials

We firmly believe in the importance of protecting the environment and are committed to sustainable development and environmental efficiency. As a proud member of the Bathroom Manufacturers Association we hold the European Water Label on a number of our products. Our sanitaryware and brassware is WRAS approved and the Luda Shower carries the Water Efficient Product Recommended Label. Our commitment to reducing our carbon footprint has resulted in the production of recyclable shower trays, and in the past 12 months our CO^2 usage has been reduced by 25%, the equivalent of 940 tonnes.

Unrivalled service

We know the importance of receiving your goods when you expect them, undamaged via a polite and efficient delivery service. That's why we've invested in a dedicated fleet of vehicles to provide this service.

Lifetime Guarantees

All AKW kitchen carcasses are covered by our 'no quibble' Lifetime Guarantee against manufacturing defects to offer total piece of mind, with 5 years on the fascias. All appliances and accessories are provided with a comprehensive manufacturers warranty.

AKW®
life. style. choice.

Trust the Experts

Bathroom and kitchen expert surveying service

Our team of highly experienced DBS checked surveyors are specialists in adaptations and have a wealth of knowledge. They take into account many factors when conducting a survey, including accessibility, functionality, the client's abilities and health and safety. Our kitchen survey includes a comprehensive assessment with the client, where a significant number of measurements and considerations of the property and the client are factored in. This means we can design a kitchen that is accessible, safe to use and expertly tailored to the client's needs.

Following the survey detailed drawings will be created and a quote or product list will be generated.

We guarantee to offer expert advice to create an environment for the client that is as safe, functional and stylish as possible and allows them to retain or regain their independence in the home.

World Class Design

The great advantage of an AKW accessible kitchen is that the needs of the individual are integrated into the design process to give an individual or a family a kitchen to suit their exact needs and lifestyle. Our specialist team of surveyors are on hand to provide a wealth of knowledge and expertise to ensure the best possible outcome.

- Nationwide surveying team
- Highly experienced and DBS checked
- 15 years heritage in designing accessible kitchens
- Kitchen designed around the client rather than the space available
- Fully bespoke design tailored to the exact requirements of the household
- Comprehensive survey includes assessment with the client and occupational therapist including over 180 measurements and considerations
- Full quote, technical drawing and 3D render provided

User centric design

Raised height recessed plinth

Oven position adjusted to worktop height

170º hinges as standard

Pull out table

Accessible storage options

Innovative accessories

Design Features

Our kitchen ranges have been designed in conjunction with occupational therapists to meet the needs of whoever is using them. Whether it's lower fixed height, mixed height or adjustable height the kitchen is guaranteed to be safe, comfortable and easy to use.

- Floor mounted base units make for easy height adjustment and do not require reinforced walls
- Durability and strength with quality 18mm carcass and base with 18mm back panel
- Worktop height can be set at the ideal height using adjustable base unit legs and trimmable plinths
- Raised height recessed plinths provide additional space for wheelchair footplates to pass underneath and for ambulant users to stand closer to the work surface to adopt correct posture
- Raised height plinth means bottom shelf of base units is higher up and easier to access
- 66mm service void maximises available cupboard space
- 170° hinges supplied as standard to enable easy access to storage areas
- Wall units set at 350mm above the work surface for increased accessible storage space
- Tall oven housing provides a more accessible oven position within the kitchen
- Wide range of additional storage solutions available to help utilise every inch of space within the kitchen
- Selection of shallow depth, insulated bowls provide increased leg room below, low level reach into the bowl and safeguard the users' legs
- Carefully selected range of appliances providing accessibility, ease of use and safety to suit all requirements and budgets
- ActivMotion® rise & fall units provide an independently selected, adjustable height work surface to facilitate the ideal posture for the user

ActivMotion® rise & fall

ActivMotion® rise & fall cupboard

Pull-out ironing board

1 ActivMotion® Rise & Fall Cupboard
2 Corner Wall Unit
3 Contemporary Cooker Hood
4 Free Standing, L-Shaped ActivMotion® Rise & Fall Unit
5 Mixer Tap and Sink
6 Base Unit - 3 Drawers
7 Base Unit
8 Single Side Opening Oven
9 Tall Oven Housing Unit
10 Induction Hob - Front Controls
11 White Carcass
12 Raised Height Recessed Plinth

Assembled AKW Liberty® Kitchen with maple coloured doors

AKW Liberty®

Incorporating many life enhancing features, the AKW Liberty® kitchen range combines usability with remarkable value for money.

Features

- Attractive design, superior strength and quality
- Carcass supplied assembled for easy installation
- Cupboards with pull-out or pull-down baskets for easy access (optional extras)
- ActivMotion® rise and fall units for multi-user & family kitchens
- Drawer system with metal sides and runners, nylon wheels and 18mm base for extra support
- 18mm thick carcass material for additional, strength and rigidity
- 1.5mm PVC edging on door and drawer fronts
- Full nationwide survey and design service available
- Lifetime warranty on carcass
- Choice of door and worktop colours - see page 16-17
- Full range of accessible appliances

AKW Liberty® unit options



Tall Single Oven Housing Unit
1719mm high

600mm wide with drawers	LIBAHDRLR
600mm wide with door	LIBAHFLR



Wall Unit • Single Door
735mm high

300mm wide	LIB533WLR
400mm* wide	LIB543WLR
500mm* wide	LIB553WLR

**Pull-down baskets can be supplied for these items (optional extra).*



Wall Unit • Double Door
735mm high

600mm* wide	LIB563W2D
1000mm wide	LIB5103W2D

**Pull-down baskets can be supplied for this item (optional extra).*



Base Unit • 3 Drawers
588mm high

300mm wide	LIB536DR3
500mm* wide	LIB556DR3
500mm wide soft close	LIB556DR3SC

**Heat drawer, pull out ironing board and pull out table available at extra cost.*

Larder/Broom Unit
1719mm high

300mm* wide	LIBLB36LR
500mm* wide	LIBLB56LR
600mm* wide	LIBLB66LR

**Pull-out baskets can be supplied for these items (optional extra).*



Highline Base Unit • Single Door
588mm high

300mm wide	LIB536FLR
400mm* wide	LIB546FLR
500mm* wide	LIB556FLR
600mm* wide	LIB566FLR

**PLANNING TIP: Pull-out baskets are recommended with these units (optional extra).*



Base Unit • 2 Drawers
588mm high

600mm wide	LIB566DR2
600mm wide soft close	LIB566DR2SC



Corner Base Unit
588mm high

1000mm wide with 500mm door, 625mm blank (1100mm O/A)	LIB5106C5LR

Diagram shown is right hand blank. Carousels are available for this item (optional extra).



Base Unit • Double Door
588mm high

1000mm wide	LIB5106LR



Corner Wall Unit • Double Door
735mm high

625mm x 625mm wide	LIB633CWLR

Please note a colour suffix needs to be added to codes where applicable.
BCH - Beech, MPL - Maple, OAK - Oak, WHT - White.



Worktop Saver
Heat Proof Cutting Surface WTS



Cutlery Tray

300mm wide	CT3
400mm wide	CT4
500mm wide	CT5
600mm wide	CT6



Supporting Leg (Adjustable Height)
60mm dia. Chrome LEG



Worktop Support Panel

Worktop Support Panel Beech	KNBEWS
Worktop Support Panel Maple	LMPEWS
Worktop Support Panel Oak	KNOEWS
Worktop Support Panel White	LGLEWS



Waste Bin
PVC Self Opening Waste Bin WB



Towel Rails
Telescopic Towel Rails TTR



Plinth

2.5m x 300mm Cont Plinth Beech	LNBIKCP25
2.5m x 300mm Cont Plinth Maple	LMPIKCP25
2.5m x 300mm Cont Plinth Oak	LNOIKCP25
2.5m x 300mm Cont Plinth White	LGWIKCP25



Decor End Panel - Wall Units

Decor End Panel Beech	LNBDWPM
Decor End Panel Maple	LMPDWPM
Decor End Panel Oak	LNODWPM
Decor End Panel White	LGLDWPM



Jointing Strip Corner Pattern
Corner Jointing Strip MJS40



Worktop Bolts
Worktop Bolts - Pair WTBT



Heavy Duty Worktop Brackets
Heavy Duty Worktop Bracket HDWTBK



Custom Fit Panels

Custom Fit Panel Beech	LNBZCFP
Custom Fit Panel Maple	LMPCFP
Custom Fit Panel Oak	LNOCFP
Custom Fit Panel White	LGLCFP

1 Raised Height Recessed Plinth
2 Tall Oven Housing
3 Wall Unit - Single Door
4 Reduced Height Base Unit
5 Corner Base Unit
6 Base Unit - 3 Drawers
7 ActivMotion® Rise & Fall Unit
8 Induction Hob - Front Controls
9 Shallow Bowl Sink and Tap
10 Single Oven Side Opening
11 Colour Match Carcass

Independence

Meeting individual needs, the Independence kitchen suite provides a made to measure, modern and fully adapted kitchen, available in a wide choice of finishes.

Features

- Made to measure for a perfectly tailored solution
- Attractive design, superior strength and quality
- Units supplied fully assembled
- Cupboards with pull-out or pull-down baskets for easy access (optional extras)
- ActivMotion® Rise and fall units for multi-user & family kitchens
- Option of integrated appliances
- Full nation-wide survey and design service available
- Colour matching fascia and carcass*
- Glue and dowel construction
- Choice of cabinet colours - see page 16-17
- Choice of door and worktop colours and styles - see page 16-17

Excludes gloss

Enquiries: 01905 823262 | Email: kitchens@akw-ltd.co.uk

AKW life. style. choice.

lifestyle solutions for inclusive living

Independence unit options



Base Unit • 2 Drawers

300mm wide	B302DR575
400mm wide	B402DR575
450mm wide	B452DR575
500mm wide	B502DR575
600mm wide	B602DR575
800mm wide	B802DR575
1000mm wide	B1002DR575



Highline Base Unit • Single Door

300mm wide	B30HLL B30HLR
400mm wide*	B40HLL B40HLR
450mm wide*	B45HLL B45HLR
500mm wide*	B50HLL B50HLR
600mm wide*	B60HLL B60HLR

*PLANNING TIP: We recommend pull-out baskets for disabled use with these units.



Base Unit • 3 Drawers
with pull out heat drawer & worktop saver

400mm wide	B403DR575 +HD
450mm wide	B453DR575 +HD
500mm wide	B503DR575 +HD
600mm wide	B603DR575 +HD



Base Unit • 3 Drawers

300mm wide	B303DR575
400mm wide	B403DR575
450mm wide	B453DR575
500mm wide	B503DR575
600mm wide	B603DR575
800mm wide	B803DR575



Highline Base Unit • Double Door

800mm wide*	B80HL575
1000mm wide*	B100HL575
1100mm wide	B110HL575
1200mm wide*	B120HL575

*PLANNING TIP: We recommend pull-out baskets for disabled use with these units. i.e. B100BA (pg 11)



Base Unit • 3 Drawers
with pull out ironing board extending to 950mm

400mm wide	B403DR575 +PIB
450mm wide	B453DR575 +PIB
500mm wide	B503DR575 +PIB



Compact Dishwasher Housing Unit
650mm wide

650mm wide	BUD



Open End Base Unit

300mm x 560mm wide	OEB357L/R



Base Unit • 3 Drawers
with pull out table extending to 800mm

500mm wide	B503DR575 +POT
600mm wide	B603DR575 +POT

Please note all listed sizes for units are for reference only and actual dimensions will be determined at point of survey.



Trolley Unit • Single Door

500mm wide	T50HLL T50HLR
600mm wide	T60HLL T60HLR



Trolley Unit • Double Drawer

500mm wide	T502DR
600mm wide	T602DR



Trolley Unit • with Waste Bin

500mm wide	T50WBL T50WBR
600mm wide	T60WBL T50WBR



Corner 3/4 Carousel Unit

800 x 800mm wide	BLCH80L575 BLCH80R575
900 x 900mm wide	BLCH90L575 BLCH90R575



Under Worktop Bridging Unit

300mm wide	BRI30
400mm wide	BRI40
450mm wide	BRI45
500mm wide	BRI50
600mm wide	BRI60



Pull-out Ironing Board • fitted in Bridging Unit

400mm wide	BRI40 +PIB
450mm wide	BRI45 +PIB
500mm wide	BRI50 +PIB



Highline Base Unit • Single Door with 2 baskets

450mm wide	B45BAL575 B45BAR575
500mm wide	B50BAL575 B50BAR575
600mm wide	B60BAL575 B60BAR575



Corner Semi Circle Carousel Unit

1000mm wide	
with 400mm door	BCH100/4L BCH100/4R
with 500mm door	BCH100/5L BCH100/5R



Under Worktop Pull-out Heat Drawer & Chopping Board • fitted in Bridging Unit

400mm wide	BRI40 +HD
450mm wide	BRI45 +HD
500mm wide	BRI50 +HD
600mm wide	BRI60 +HD



Pull-out Table • fitted in Bridging Unit

500mm wide	BRI50 +POT
600mm wide	BRI60 +POT



Highline Base Unit • Double Door with 4 baskets

800mm wide	B80BA575
1000mm wide	B100BA575
1200mm wide	B120BA575



Corner Slide Out Carousel Unit

1000mm wide	
with 500mm door (LH)	BCS100/5L575
with 500mm door (RH)	BCS100/5R575

Independence unit options



Wall Unit • Single Door
735mm high

300mm wide	W30L575	W30R575
400mm wide	W40L575	W40R575
450mm wide	W45L575	W45R575
500mm wide	W50L575	W50R575
600mm wide	W60L575	W60R575



Wall Unit • Double Door
735mm high

500mm wide	WD50575
600mm wide	WD60575
700mm wide	WD70575
800mm wide	WD80575
900mm wide	WD90575
1000mm wide	WD100575
1100mm wide	WD110575
1200mm wide	WD120575

Wall Unit • 4 Door
735mm high

800mm wide	WDD80575
900mm wide	WDD90575
1000mm wide	WDD100575
1100mm wide	WDD110575
1200mm wide	WDD120575



Wall Unit • Single Door with pull-down baskets 735mm high

400mm wide	WB40L575	WB40R575
500mm wide	WB50L575	WB50R575
600mm wide	WB60L575	WB60R575



Wall Unit • Double Door with pull-down baskets 735mm high

500mm wide	WDB50575
600mm wide	WDB60575



Wall Unit • Top Box
290mm high

500mm wide	W50TB
600mm wide	W60TB
800mm wide	W80TB
1000mm wide	W100TB



Open Wall Unit
735mm high

500mm wide	OS50575
600mm wide	OS60575



Open End Wall Unit
735mm high

300mm wide	OEW30



Open Corner Wall Unit
735mm high

500mm wide	OCW50
600mm wide	OCW60



Corner Wall Unit • Double Door
735mm high

500 x 500mm wide	CWL50L575 CWL50R575
600 x 600mm wide	CWL60L575 CWL60R575



Larder/Broom Unit
1700mm high*

300mm wide	LB30L1540	LB30R1540
400mm wide	LB40L1540	LB40R1540
450mm wide	LB45L1540	LB45R1540
500mm wide	LB50L1540	LB50R1540
600mm wide	LB60L1540	LB60R1540



Larder/Fridge Unit with drawer
1700mm high*

600mm wide for fridge	FR60DRL1540 FR60DRR1540



Tall Double Oven Housing Unit
1700mm high*

600mm wide	TAP60DDRL1540 TAP60DDRR1540



Larder Unit with Drawers
1700mm high*

300mm wide	LAR30L1540	LAR30R1540
400mm wide	LAR40L1540	LAR40R1540
500mm wide	LAR50L1540	LAR50R1540
600mm wide	LAR60L1540	LAR60R1540



Tall Single Oven Housing Unit
1700mm high*

600mm wide	TAP60DRL1540 TAP60DRR1540



Tall Single Oven & Microwave Housing
1700mm high*

600mm wide	TAP60S0L+M1540 TAP60S0R+M1540



Tall Fridge/Freezer Housing
1700mm high*

600mm wide	FF60L1540	FF60R1540



Larder Unit with Full Height Basket Set
1700mm high*

300mm wide	LB30 + FB1540
400mm wide	LB40 + FB1540
500mm wide	LB50 + FB1540
600mm wide	LB60 + FB1540

**Tall unit heights variable as Independence range is made to measure*

Options

Independence door & cabinet colours


Ivory Gloss (Door only)

White Gloss (Door only)

Cappuccino Gloss (Door only)

Light Maple*

Light Walnut*

Light Beech*

Light Oak*

Red Gloss (Door only)

Vanilla*

Cherry*

Olive (Door only)

Ash*

All AKW Liberty® colours also available in Independence.
Saponetta or shaker profiles available in all colours.
*2mm edged (non gloss), Saponetta or Shaker profiles available.

AKW Liberty® door & décor end panel colours

White

Maple

Oak

Beech

A choice of contemporary white or fresh natural wood colours to create the right environment for you.

Handles and worktops - creating your individual style

Door handles

Our selection of handles with smooth, curved edges add that finishing touch with safety in mind.

Satin Nickel Bow
128mm centres
160mm centres

D Handle
128mm centres
160mm centres

Stainless Steel Effect D Handle
160mm centres

Bar Handle Square Ends
128mm centres
160mm centres

Chrome D Handle

Splayed Oval Tube Handle

Aries Bar Handle

Worktop colour options

A wide range of worktop finishes are available to complement your kitchen style.

Luna Beige

Aticos Gold Surf

Kota Surf

Slate Surf

Maryland Fonce Surf

Midnight

Butcher Block Medium

Ebony Stripwood

Antique Block Walnut

Aztec Granite

ActivMotion® rise & fall units

Tables

Operated at the touch of a button to raise or lower the work surface to the ideal height for any user, the ActivMotion® rise & fall range from AKW helps to create a fully inclusive kitchen environment.

- Allows adjustable height work surfaces to suit different height requirements, allowing users to use the kitchen comfortably
- Ideal for multi user areas or where families include a chair user to enable everyone access to the kitchen
- Ideal for rehab units
- Suitable for use with sinks or hobs (or both)
- Controls can be positioned where they are most accessible for the user
- Made to measure can be any size from 500mm up to 3000mm and L-shaped up to 3000 x 3000mm
- Wall mounted and free standing options
- Modesty panels available for most sizes of wall mounted units
- Height adjustment from 690 - 1100mm
- Optional safety strip available
- Lifting speed of 30mm/s

Cupboards

With accessible storage space at a premium in an accessible kitchen, the ActivMotion® rise & fall cupboard is the perfect solution. The simple controls make it easy to activate the smooth and quiet motion to lower the cupboard to an accessible height.

- Offers additional accessible storage space for users with restricted reach or wheelchair users
- Ideal for compact kitchens where floor space is limited
- Collision detection on both upward and downward movements
- Pre-assembled in carcass
- Available in 500mm and 600mm widths
- Can be operated with the door open or closed
- Maximum contents weight per shelf is 7kg
- Total maximum contents weight is 15kg

Enquiries: 01905 823262 | Email: kitchens@akw-ltd.co.uk

AKW life. style. choice.

lifestyle solutions for inclusive living

Kitchen accessories

AKW storage solutions are designed to make the kitchen a safer and more accessible environment for everyone. The items in our range can be added to the kitchen to aid independence, safety and comfort.

Pull-down baskets

- Manual pull down basket
- Fitted with gas strut for smooth operation
- Adds additional accessible storage
- Available for 400, 500 and 600mm wide units

Extending corner carousel unit

- Allows maximum use of storage space
- Enables easy access of hard to reach areas
- Smooth motion
- Double shelf

NOTE: For a full list of accessory codes please see price list.

Pull-out basket

- Aid access to the rear contents of base units
- Can be fitted to the door or pulled out independently
- Strong, supportive runners
- Available for 300, 400, 500 and 600mm wide units

Pull-out larder unit

- Provides a large amount of accessible storage in a compact unit
- Height adjustable shelving
- Smooth, soft base runners
- Easy side access to contents
- Available for 300, 400, 500 and 600mm wide units

Slide-away recycle bin

- Easy access bins
- Clears clutter from the kitchen floor
- Three compartments for general waste and recycling
- Meets cat 5 of code for sustainable homes
- Fits base units 300-600mm

Pull-out ironing board

- Ideal for seated or wheelchair users
- Full clear access underneath
- Located in top drawer of base unit

Pull-out table

- Provides additional work or eating area when space is at a premium
- Full, clear access underneath
- Ideal for chair users

Kitchen appliances

We have carefully selected a range of appliances suitable for the accessible market. Each one has inclusive features making them easy, comfortable and most importantly safe to use. At AKW we are pleased to be able to offer a comprehensive range of Ovens, Hobs, Hoods, Sinks and Taps to suit all requirements and budgets.

For further information on our full range of over 100 appliances please call our expert team on 0800 078 7051.

Ovens

The importance of having an easy and safe to use oven is second only to the hob within the kitchen. A key part of the design process is ensuring that the centre of the oven is set to the same height as the work surface thus making transferring hot items comfortable and practical.
Some key features and benefits include:

- Side opening doors as a minimum to aid access to oven
- Slide & Hide option available providing complete open access
- Optional anti-tip telescopic shelf kits on some ovens for additional user safety
- Side opening ovens can be handed left or right to suit users' needs
- Stay clean oven lining
- Large, easy turn knobs for users with limited dexterity

NOTE: For a full list of appliances please see price list.

Electric single multifuction oven

Telescopic shelf kit

NEFF series 3 AquaAssist

Hobs

All hobs would be situated in an area of the kitchen with access space underneath to allow for wheelchair users or perhaps someone using a perching stool. As a minimum standard all AKW hobs have front controls. We offer 4 different types of hob:

Induction

- The most inclusive type of hob
- Heat activation only occurs when in contact with a magnetic pan
- No residual heat left on hob surface so can be used as additional preparation area
- Front, touch controls as standard
- Available in standard and linear options for users with limited reach
- Low profile surface suitable for users with limited strength or dexterity

Ceramic

- Residual heat warning indicator
- Front controls as standard
- Available in standard and linear options for users with limited reach
- Low profile surface suitable for users with limited strength or dexterity
- Does not require a specialist set of saucepans

Electric

- Front controls as standard
- Space saving option with 'Domino' twin burner option
- Designed to meet the requirements of those on a budget
- Low profile surface
- Safe and easy access

Gas

- Not recommended for accessible kitchens due to open flame and raised pan seating position
- Fitted with front controls as standard
- Flame safe technology to turn off gas if flame is extinguished
- Raised height and unsteady pan rests could be a safety risk for some users

Extractor hoods

- Full range of traditional, chimney and integrated hoods available
- Adds finishing touch to the kitchen
- Additional switches can be installed to allow for the activation of a unit from a lower height

Sinks & taps

Shallow depth bowls provide increased leg room below the sink and low level reach into the bowl. The base of the bowl can also be insulated to protect the users' legs.

Mixer tap

- Monobloc double lever mixer tap with 3" lever
- Quarter turn full flow ceramic disc technology
- Smooth and positive on/off control

Mixer tap

- Monobloc lever mixer tap with 9" lever
- Quarter turn full flow ceramic disc technology
- Smooth and positive on/off control

Mixer tap

- Monobloc lever mixer tap with 3" lever
- Quarter turn full flow ceramic disc technology
- Smooth and positive on/off control

Pillar taps

- High neck pillar taps with 6" or 3" levers
- Quarter turn full flow ceramic disc technology
- Smooth and positive on/off control

NOTE: For a full list of sinks and taps please see price list.

Shallow 1.5 bowl

- Shallow half bowl is ideal for wheelchair users
- Half bowl is 90mm deep
- Main bowl is 127mm deep
- Reversible

Monobloc tap sink

- One tap hole for monobloc mixer tap
- Bowl depth 127mm
- Incorporates overflow outlet
- Left and right hand options available

Monobloc tap sink

- One tap hole for monobloc mixer tap
- Bowl depth 140mm
- Reversible
- Incorporates overflow outlet



Monobloc tap sink

- Bowl depth only 100mm
- One tap hole for monobloc mixer tap
- Reversible
- Incorporates overflow outlet

Pillar taps sink

- Two tap holes for pillar or deck mixer taps
- Bowl depth 127mm
- Incorporates overflow outlet
- Left and right hand options available

AKW Kitchens Cleaning Instructions

Cupboards, carcasses & doors

Use a damp cloth and a mild detergent or a non-abrasive cleaner to keep surgaces clean and hygienic. Any stubborn stains should be removed immediately. Bleach, scouring powders and wire wool pads should not be used. After cleaning, surfaces may be wiped with a clean dry cloth.

The use of polish is not recommended as it may impact upon the appearance of the kitchen.

Worktops

Laminate is a hard wearing surface however sharp implements such as knives will cause scratches. A chopping board should be used. Worktops will withstand boiling water, but items taken from direct heat or the hob should be placed on a protective mat.

To clean worktops wipe with a damp cloth and a mild detergent solution. Food colourants, concentrated juices and corrosive liquids should be wiped off immediately. Bleach, scouring powders and wire wool pads should not be used.

Sinks

After use wipe the bowl and drainer with a soft, damp cloth and rinse with clean water. Care should be taken not to scratch the surface with sharp objects like knives.

Warning: Certain household products contain substances which will attack the stainless steel surfaces.

They are;

BLEACH: do not apply neat to the surface, always follow the manufacturers dilution guide. All cleaning agesnt containing hypochlorites are unsuitable for use with stainless steel. It is for this reason it is strongly recommended that the sink is not used for soaking clothes for long periods of time.

SILVER DIP CLEANERS: are extremely harmful as they contain acids.

CORROSIVE FOODSTUFFS: ie. fruit juices, damp salt, vinegar, readymade mustards, pickle, mayonnaise can all be harmful if left in contact with the sink for long periods of time.

ALL ACIDS: can have a harmful effect if left in contact for a long peroid.

To remove any of the above, rinse with copious quantities of clean water.

Kitchen Appliances

Please follow the manufacturers instructions supplied with all new appliances.

At no time must any kitchen surface or appliance be immersed in water.

If you are in any doubt or have any questions, please contact our kitchens team on **01905 823262**.

Notes