Access Panels

Product Overview

AKW's plastic, heavy duty access panels offer a high quality, low cost finish in bathrooms where access to plumbing is required. Available in 3 sizes to allow for maintenance and servicing access to waste pumps and other general plumbing fittings. It is the perfect solution for concealing unsightly controls and fittings that require occasional access.

Access Panels are ideal for accessing pumps, where correctly positioned, in smaller bathrooms where they are fitted into boxing due to limited space.

Features & Benefits

+ Quick and easy installation.
+ Versatile in its purpose and can provide easy access to hidden services or as a repair panel in residential and commercial projects.
+ The hinged removable door features a lipped edge which improves operation by allowing the panel to close without being disruptive.
+ Can be decorated, allowing the panel to be integrated into existing decor.

Product Specification

+ **Thickness:** 3mm
+ **Colour:** White
+ **Material:** ABS Plastic
+ **Usage:** Walls & Ceilings
+ **Type:** Picture frame
+ **Warranty:** 12 months
+ **Water integrity:** Panel is not watertight. If there is a directional flow of water at the access panel, additional silicone may be needed.

Guarantee & Approvals

12 MONTH WARRANTY

Size	Actual opening size
523 x 523mm	450 x 450mm*
357 x 357mm	293 x 293mm
195 x 272mm	145 x 222mm

*450 x 450mm panel is compatible for access to AKW DigiPumps – when positioned centrally behind it (based on the 214mm width of an AKW DigiPump including an extra 100mm gap on either side after inlet and outlet connectors before any bends, as per fitting instructions).

Smaller options could be used for access to plumbing fittings such as isolation valves.

Product Codes:

Description	Code
Access Panel 523 x 523mm	30200
Access Panel 357 x 357mm	30201
Access Panel 195 x 272mm	30202

Product Compatibility:

Digipumps description	Code
M11 DigiPump®	25470
M17 DigiPump®	25450
M20 DigiPump®	25460

Plumbing Fittings description	Code
15mm Compression Isolating Valves x5	30053
15mm Compression Full Bore Isolating Valves x5	30054
15mm Compression Isolating Elbow x5	30089
Full Flow 22mm Isolating valve	30141

Other Information

Can be installed using adhesive silicone or screws.

Order: 01905 823 299 | orders@akw-ltd.co.uk
Technical support: 01905 560 219

Dimensions



523 x 523mm



357 x 357mm

Access Panels



195 x 272mm

Order: 01905 823 299 | orders@akw-ltd.co.uk
Technical support: 01905 560 219